XML-Sitemaps.com 5 Minute installation Guide

Once you have purchased our unlimited PHP sitemap generator script you will receive your own individual download link for the file by email.

Click on the link and you will be presented with a screen similar to the picture below:

Online Generator Site	File Download - Security Warning	i Tools	Contact
	Do you want to open or save this file? Image: Barbon Stress Type: Compressed (zipped) Folder, 65.8 KB From: www.xml-sitemaps.com Image: Definition Stress Image: Definition Stress	i gle to help t for any sea r	them crawl r ch engine .
are 4 simple	While files from the Internet can be useful, this file type can potentially harm your computer. If you do not trust the source, do not open or save this software. <u>What's the risk?</u>	navigate on	your

Click save and save the file to your PC.

Select "Open" and you will see the following:



Select "Extract all files"

Installing onto your server by FTP

Now that you have the extracted files on your PC you need to upload them to your website. In this example we are going to use Filezilla, a popular free FTP program which can be downloaded here.

Open Filezilla

🔁 FileZilla				
File Edit View Transfer Server Bookmarks H	elp			
1 · 1 · · · · · · · · · · · · · · · · ·	R. 13	ξa.		
Host: ftp.mysite.com Username: myuserna	ame	Password:	••• Port:	Quickconnect
				~
				~
Local site: D:\generator\	~	Remote site:		~
🖃 🞯 Desktop	<u>^</u>			
My Documents				
🖮 🧕 Wy Computer				
😟 🥪 C: (VAIO)				
🖻 🥪 D: (VAIO)				
🖻 🗁 generator	×	Filename /	Filesize Filetype	Last modified

and enter your ftp login details: Host, Username and Password. Click the 'Quickconnect' button or hit enter on your keyboard and you will be connected to your site.

Local site: D:\generator\			~	Remote site: /			~
Desktop Desktop My Documents My Computer Or C: (VAIO)				⊞ () [
D: (VAIO)							
Filename /	Filesize	Filetype	Las				
i 🗀							
ata		File Folder	- 13/	Filename /	Filesize	Filetype	Last modified
🚞 pages		File Folder	- 13/	i 🗀			
🗐 changelog.txt	7,273	Text Document	- 22/	🚞 .htpasswds		File Folder	15/04/2009
🖬 default.conf	2,792	CONF File	- 22/	access-logs		File Folder	15/04/2009 : 🗏
Cocumentation.html	13,939	HTML Document	22/	etc		File Folder	15/04/2009
📝 index.php	4,871	PHP File	22/	🚞 mail		File Folder	15/04/2009 🛄
Cense.html	3,180	HTML Document	22/	🛅 public_ftp		File Folder	15/04/2009
🕑 runcrawl.php	539	PHP File	22/	🚞 public_html		File Folder	02/05/2009
				🚞 tmp		File Folder	15/04/2009
				i www		File Folder	02/05/2009 🔽
<				<			>

On the right hand side you can see your website's file structure. We need to install the script into your root folder which is often referred to as public_html (or www, htdocs, etc.)

.....

Local site: C:\generator\			*	Remote site: /public_html/	
🖃 🞯 Desktop			~	🖻 🧰 public_html	
				- 🔐 _private	
🖻 – 👮 My Computer				🖓 _vti_bin	
🖃 🧇 C: (SYSTEM)				🖓 _vti_cnf	
🖻 🧰 AddOn			=		
🕒 🧰 BJPrinter				vti_pvt	
🛅 DBBackup				vti_txt	
Documents and 56	ettings			🖸 cgi-bin	
				CSS CSS	
				rorum	
Filename 🛆 🛛 🛛 Filesia	ze Filetype	Last modified	~	Filename / Filesize	Filetype
i found.001	File Folder	20/10/2005 13:13:25		`	
🛅 generator	File Folder	03/10/2007 20:38:18		private	Fie Folde
🛅 m4p2mp4	File Folder	22/01/2006 19:55:50	E	🚞_vti_bin	Fie Folde
🛅 mp4	File Folder	22/05/2006 16:44:58		🛅_vti_onf	Fie Folde
🛅 MWASPI	File Folder	23/02/2007 20:26:39		🚞_vti_log	Fie Folde
🛅 My Music	File Folder	29/12/2006 19:51:56		🚞_vti_pvt	Fie Folde
🗀 Nokia	File Folder	12/02/2005 12:07:00		🛅_vti_txt	File Folde
🚞 Norman AY	File Folder	04/03/2002 10:43:50		🚞 cgi-bin	Fie Folde
📄 Photoshop 5.02 (File Folder	12/12/2003 15:17:28		Coss	Fie Folde
📄 Drogram Files	Ele Eolder	06/10/2007 21:47:27	100	A	ri- r-l-

Now we are in the public_html directory you simply need select the generator folder in the left hand screen with your mouse and drag it over to the window on the right. Filezilla will then copy all of the files to your website.

Local site: D:\		~	Remote site:	/public_html	
🖃 🞯 Desktop		~	🚊 🛅 pu	iblic_html	
My Documents			- 62	_private	
🖮 😼 My Computer			2)_vti_bin	
😟 🥪 C: (VAIO)			2)_vti_onf	
🖻 🥪 D: (VAIO)			2)_vti_log	
😟 🛅 generator		~)_vti_pvt	
Filename (Fileria	Filetune	Last modifier		_vti_txt	
	e Tilecype	Lascinounec) cache	
<u> </u>			Filename (Filocizo	Filetupe
generator	File Folder	13/05/2009		1 1165126	T liecype
C RECYCLER	File Folder	24/11/2007	i 🗀		
🚞 System Volume I	File Folder	06/07/2007	🚞 _private		File Folder
			🚞 _vti_bin		File Folder
			🚞 _vti_cnf		File Folder
			🚞 _vti_log		File Folder

Once uploaded you will now see the generator folder on the right hand side of the screen.

Local site: D:\		~	Remote site: /public_htm	1
🖃 🞯 Desktop			😑 🛅 public_html	
My Documents			🕜 _private	
🖃 🧕 My Computer			🖓 _vti_bin	
😟 🥪 C: (VAIO)			🖓 _vti_cnf	
🚊 🥪 D: (VAIO)			🖓 _vti_log	
🕀 🛅 generator		~	🖓 _vti_pvt	
	ed i ed i	1 1 1:0	🖓 _vti_txt	
Filename /	Filesize Filetype	Last modifie	🕜 🕜 cache	
i 🗀				
🚞 generator	File Folder	13/05/2009	Filename / Filesiz	e Filetype
	File Folder	24/11/2007	enerator	File Folder
🛅 System Volume I	File Folder	06/07/2007	images	File Folder

You will need to create two new blank xml files - sitemap.xml and ror.xml. An easy way to create these files is to use 'Notepad' (Start > Accessories > Notepad). In the File menu click 'Save As...' Choose 'All Files' and type in the name sitemap.xml as below. Repeat this process for ror.xml

📕 Untitled - No	tepad					
File Edit Format	View Help					
Save As						? 🔀
Save in:	I SYSTEM (C:)		~	G 🤌	• 🖽 🥙	
Recent Desktop Windows Explorer	AddOn Documents and Downloads etax2006 etax2007 fonts generator m4p2mp4 mp4 MWASPI MWASPI MWASPI MV Music Nokia NormanAV Photoshop 5.02 Program Files	Settings (Update Version)	PSFONTS temp tempy01 Tiscali WINDOWS BYKIDownload PKIDownload CTMeasureTim debugInstaller drmHeader drmHeader ffastunT.ffl Lang m4p2mp4 setup	derP⊂ ning r		StubInstall TCPCheckF temp test thainoodle: YServer
	<					>
S	File name:	ror.xml			*	Save
My Network	Save as type:	All Files			*	Cancel
	Encoding:	ANSI			~	.::

Now you need to upload ror.xml and sitemap.xml files to the root directory by dragging the files over

						– bin Jm		
A	Hlesize	Hiletype	Last modified	-	Filename 🛆 📃	Hlesize	Hiletype	Last
	250,032	System file	29/11/2004 06:18:20		🖻 index.html	4,734	HTML Docu	07/06
e.sys	390,070,272	System file	06/10/2007 19:38:28		📓 lightbox.js	12,189	JScript Scri…	26/11
	228	XML Document	06/10/2007 23:56:11		💽 portfolio	616	Cascading	12/06
bg	90	Text Document	04/03/2002 10:36:23		🖻 pricelist	5,220	HTML Docu	07/06
ı.×ml	228	XML Document	06/10/2007 23:56:25		📄 ror.xml	228	XML Docum	
;taller.exe	700,416	Application	01/11/2005 01:56:00		🔊 sendeail	2,589	PHP File	03/09
eckResult.txt	3	Text Document	12/02/2005 12:05:52		🔮 stemap	228	XML Docum	
g	1,350	Text Document	25/08/2006 19:27:52		🔊 test.php	🗢 Down	load	/03
1	3,382,182	Text Document	30/08/2005 22:00:16	目目	📋 votdlj.txt	👌 odd fi	les to queue	/09
dles.txt	1,449	Text Document	14/05/2005 14:59:36		1		es no pene	_
- LL	150	T	05/00/2007 20-40-40			Creat	e directory	
ocal file	Di	rection Remote	fie		Size Priority	- Duluk		
						Deece	-	
						File At	nc huibubaa	
						T IIC AI	unbuces	

We now need to set file permissions for the ror.xml and sitemap.xml files so that the script can write to them once it has run. To do this highlight sitemap.xml on the right hand side screen and then right click your mouse. You will be presented with a popup screen. Move your mouse down to File Attributes and select it.

					Cigi- Cigi-	- bin m		
Δ	Hlesize	Hiletype	Last modified	-	Filename A	Hlesize	Hiletype	Last
3.SVS	250,032 390,070,272	System file System file	29/11/2004 06:18:20 06/10/2007 19:38:28		index.html	4,734 12,189	HTML Docu JScript Scri	07/06 26/11
og Lxml	228 90 228	XML Document Text Document XML Document	06/10/2007 23:56:11 04/03/2002 10:36:23 06/10/2007 23:56:25		portfolio pricelst ror.xml	616 5,220 228	Cascading HTML Docu XML Docum	12/06 07/06
:taller.exe eckResult.txt	700,416 3	Application Text Document	01/11/2005 01:56:00 12/02/2005 12:05:52		💌 sendeail 🕋 stemap	2,589 228	PHP File XML Docum	03/09
g I Idles.txt	1,350 3,382,182 1,449	Text Document Text Document Text Document	25/08/2006 19:27:52 30/08/2005 22:00:16 14/05/2005 14:59:36		🕑 test.php 🗐 votdlj.txt	🗢 Down	load les to queue	/03 /09
ocal file	150 D	irection Remote	or /00/2007 20.40.40 fie		Size Priority	Creat Delete	e directory	_
						Renar File A	ne ttributes	

You will then be given the options to change file permissions:



In the Numeric value box type 666 and then click OK. Repeat this step with the ror.xml file and set permissions to 666.

If you are creating images, news or video sitemaps you will also need to create the following blank files and set 0666 permissions as instructed above: sitemap_images.xml, sitemap_news.xml, sitemap_video.xml.

Next we need to open the generator folder.

Once done we need to set permissions for the data folder to 777



Note: in case of Windows/IIS servers it is not allowed to set permissions via FTP and you will have to that using Hosting Control Panel.

Congratulations your installation is now complete!

To access your sitemap generator enter your website address (www.mysite.com/generator) and follow the on screen instructions.

		St	an	dalone X	ML Site	emap Ge	nerator			
	Configuration	Crawlin	ıg	View Sitemap	Analyze	ChangeLog	Broken Links	Documentation		
No sitemaps	s found	Con	Configuration							
Sitemap was yet, please g page to start or to setup a	not generated o to Crawling : crawler manually a cron job.	М	Main parameters							
· · ·	-	Start	ing L	IRL:						
What is "Initi	al URL"?	http:	//w	ww.mysite.com	L					
Please enter address for y	the full http our site, only the	Save	Save sitemap to:							
links within th directory will	he starting be included.	/hom Curren	/home/mysite/public_html/sitemap.xml Current path to Sitemap generator is: /home/anhol81/public_html/generator/							
What is "Cha	nge frequency"?	Your	Site	map URL:						
This value inc frequently th	dicates how ne content at a	http:	http://www.mysite.com/sitemap.xml							
particular URL	is likely to	Create Text Sitemap:								
change.		Create sitemap in text format for Yahoo submission								
What is "Last	: Modified"?	Creat	e RC)R Sitemap:						
The time the modified. You generator se	It will E	Create sitemap in ROR format It will be stored in the same folder as XML sitemap, but with different filename: ror.xml								
your server's response headers or to specify your		Creat	Create HTML Sitemap:							
own date and time. Create html site map for your normal visitors Due out that this other market and iterations										
What is "Prio	rity"?	Fiease	iote t	nat this option requ		esources to periori				
The priority o	of a particular URL	HTML	. Site	emap filename:						
relative to ot	her pages on the	/horr	le/m	ysite/public_h	tml/genera	tor/data/sitem	ap.html			